

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

1. (currently amended) A system for mapping processing captured
2 multimedia information ~~onto~~ graphics for insertion into a communication using an Instant
3 Messaging (IM) application, wherein the insertion is based on multimedia information, the
4 system comprising:
 - 5 an information capture module for capturing the multimedia information in the
6 vicinity of a machine on which the user is using the IM application;
 - 7 ~~an information extraction and interpretation~~ a processing module
8 communicatively coupled with the information capture module, for ~~extracting relevant~~
9 ~~information from the captured multimedia information and interpreting it~~ processing the captured
10 multimedia information in real time to create a graphic; and
 - 11 ~~a mapping module communicatively coupled with the information extraction and~~
12 ~~interpretation module, for mapping the interpreted information onto a graphic~~;
 - 13 an Application Program Interface module for the IM application,
14 communicatively coupled to the mapping processing module, for inserting the graphic into the
15 communication in real time using the IM application, said inserting only occurring after
16 detecting a trigger from a user.
1. (original) The system of claim 1, wherein the multimedia information
2 comprises at least one of audio information, still image information, and video information.
1. 3. (canceled)
1. 4. (currently amended) The system of claim 1, wherein the ~~emotion~~ graphic
2 is predefined by the IM application one of a low resolution image with accentuated expression
3 information, an animation and a stylized version of a person's face.

1 5. (currently amended) The system of claim 1, wherein the graphic is
2 predefined by a third party application trigger is one of a button press, a camera selection, a
3 voice command, and a gesture.

1 6. (currently amended) The system of claim 1, wherein the graphic is an
2 emoticon created by the user.

1 7. (previously presented) The system of claim 6, wherein the graphic is
2 created by the user by processing captured multimedia information.

1 8. (currently amended) A method for mapping processing captured
2 multimedia information onto graphics for insertion into a communication using an Instant
3 Messaging (IM) application, wherein the insertion is based on multimedia information, the
4 method comprising:

5 receiving the captured multimedia information;
6 interpreting the captured multimedia information; and
7 mapping the interpreted information onto a graphic; processing the captured
8 multimedia information in real time to create a graphic; and

9 inserting the graphic into the communication in real time, said inserting only
10 occurring after detecting a trigger from a user.

1 9. (original) The method of claim 8, wherein the multimedia information
2 comprises at least one of audio information, still image information, and video information.

1 10. (canceled)

1 11. (currently amended) The method of claim 8, wherein the step of mapping
2 the interpreted information onto a graphic comprises:
3 selecting one graphic out of a plurality of graphics predefined in the IM
4 application said graphic comprises one of a low resolution image with accentuated expression
5 information, an animation and a stylized version of a person's face.

1 12. (currently amended) The method of claim 8, wherein the step of mapping
2 the interpreted information onto a graphic comprises:

3 selecting one graphic out of a plurality of graphics predefined in a third party
4 application trigger is one of a button press, a camera selection, a voice command, and a gesture.

1 13. (currently amended) The method of claim 8, wherein the step of mapping
2 the interpreted information onto a graphic comprises:

3 selecting one graphic out of a plurality of customized graphics created by the user
4 graphic is an emoticon.

1 14. (previously presented) The method of claim 8, further comprising:
2 determining whether said trigger has been received;
3 responsive to the trigger being received, capturing the multimedia information.

1 15. (currently amended) A method for creating a graphic for a communication
2 using an IM application, based on captured multimedia information, the method comprising:
3 receiving the captured multimedia information; and
4 processing the received captured multimedia information in real time to create a
5 graphic;

6 inserting the graphic into the communication in real time, said inserting only
7 occurring after detecting a trigger from a user.

1 16. (previously presented) The method of claim 15, further comprising:
2 inserting the graphic into the communication using the IM application.

1 17. (previously presented) The method of claim 15, further comprising:
2 storing the graphic for use in a later IM communication using the application.

1 18. (previously presented) The method of claim 15, wherein the step of
2 processing the received captured multimedia information to create a graphic comprises:
3 reducing the size of the captured multimedia information.

1 19. (previously presented) The method of claim 15, wherein the step of
2 processing the received captured multimedia information to create a graphic comprises:
3 reducing the resolution of the captured multimedia information.

1 20. (previously presented) The method of claim 15, wherein the step of
2 processing the received captured multimedia information to create a graphic comprises:
3 selecting a frame from a plurality of frames of the captured multimedia
4 information.

1 21. (currently amended) A system for ~~mapping processing~~ captured
2 multimedia information ~~onto emoticons~~ ~~graphics~~ for insertion into an electronic medium,
3 wherein the insertion is based on multimedia information, the system comprising:
4 an information capture module for capturing the multimedia information in the
5 vicinity of a machine in communication with the electronic medium;
6 an ~~information extraction and interpretation~~ ~~a processing~~ module
7 communicatively coupled with the information capture module, for ~~extracting relevant~~
8 ~~information from the captured multimedia information and interpreting it; and processing the~~
9 ~~captured multimedia information in real time to create a graphic~~
10 a ~~mapping module communicatively coupled with the information extraction and~~
11 ~~interpretation module, for mapping the interpreted information onto a graphic;~~
12 an Application Program Interface module, communicatively coupled to the
13 ~~mapping processing~~ module, for inserting the graphic into the communication in real time, said
14 inserting only occurring after detecting a trigger from a use.

1 22. (original) The system of claim 21, wherein the multimedia information
2 comprises at least one of audio information, still image information, and video information.

1 23. (canceled)

1 24. (currently amended) A method for ~~mapping processing~~ captured
2 multimedia information ~~onto~~ ~~graphics~~ for insertion into an electronic medium, wherein the
3 insertion is based on multimedia information, the method comprising:

4 receiving the captured multimedia information;
5 ~~interpreting the captured multimedia information; and~~
6 ~~mapping the interpreted information onto a graphic; processing the captured~~
7 ~~multimedia information in real time to create a graphic; and~~
8 inserting the graphic into the communication in real time, said inserting only
9 occurring after detecting a trigger from a user.

1 25. (original) The method of claim 24, wherein the multimedia information
2 comprises at least one of audio information, still image information, and video information.

1 26. (canceled)

1 27. (currently amended) A system for mapping processing captured
2 multimedia information ~~onto graphics~~ for insertion into an electronic communication, wherein
3 the insertion is based on multimedia information, the system comprising:
4 an information capture module for capturing the multimedia information in the
5 vicinity of a machine the user is using for the electronic communication;
6 ~~an information extraction and interpretation a processing~~ module
7 communicatively coupled with the information capture module, for ~~extracting relevant~~
8 ~~information from the captured multimedia information and interpreting it processing the captured~~
9 multimedia information in real time to create a graphic; and
10 ~~a mapping module communicatively coupled with the information extraction and~~
11 ~~interpretation module, for mapping the interpreted information onto a graphic;~~
12 an Application Program Interface module, communicatively coupled to the
13 mapping processing module, for inserting the graphic into the communication in real time, said
14 inserting only occurring after detecting a trigger from a user.

1 28. (original) The system of claim 27, wherein the multimedia information
2 comprises at least one of audio information, still image information, and video information.

1 29. (canceled)

1 30. (previously presented) The system of claim 1 wherein said graphic
2 represents motion by said user.

1 31. (currently amended) The system of claim 1 wherein said trigger is a
2 gesture by said user and said graphic is a representation of something other than said gesture.

1 32. (previously presented) The system of claim 1 wherein said relevant
2 information extracted by said information extraction and interpretation module is in a non
3 graphic format.

1 33. (previously presented) The system of claim 1 wherein said relevant
2 information extracted by said information extraction and interpretation module is mapped to one
3 of a preselected group of graphics, including graphics representing a smile, a frown and a wink.

1 34. (previously presented) The system of claim 1 wherein said relevant
2 information extracted by said information extraction and interpretation module is an article worn
3 by said user.